




**Defort<sup>®</sup>**

**MEASUREMENT  
TOOLS**



## DLL-10MT-K. Laser level

Compact and handy level with 10 mm diameter of the working area, perfect for hanging and alignment of different types of wall decorations including pictures, wall paper, tiles etc.



*Cross-line projection*



*Spot projection*





## **DLL-10T-K/15T-K. Laser Level ( 10 m/15 m )**


With precision 0,5 mm and 650 Hm laser diod the level is perfect for drawing straight horizontal and vertical lines. Powered by two AA size batteries.



*Self-leveling cross-line*



*360° scale*



*Tripod with height regulation*





**ULTRA  
COMPACT**


### **DLL-9. Laser level**

Pocket-size laser level. Suitable for handy men who are always on the move and prefer to carry around light equipment. With 9 meters work range Defort DLL-9 is perfect for home use. Two air bubbles on top of the device provide correct placement of the laser level on working area.

*45g and 80mm  
ONLY*




Fixing with pins or magnet




## DLL-0,8-M. Multifunctional level

Includes: Wire/metal detector DMM-20, Laser guide and classic bubble level.  
Laser guide and level are fixed in main casing, and you will never lose it during work or transportation.



## DLL-0,8-L. Level with innovative indication system


Air bubble level suitable for working in horizontal and vertical applications as well as measuring 45° angles. Made out of thick aluminum profile. Light and sound indication.





## **DMM-20. Detector**

Detects metal, wires and wooden elements in walls and partitions. This simple device will help you to avoid getting in to the wall armature or damage the wire.



Detects electric wires and wooden elements



## **DMM-20D-RF. Multifunctional tester**

Combines in one: detector of metal and wooden elements, ultrasonic distance meter and laser level. DMM-20D-RF can save you money, because you get 3 devices in 1.

**3 in 1**



*Built-In ultrasonic  
distance meter*






### DMM-20D-RF. Multifunctional tester



Timber, metal and electric wire detector one side of device. Special indication is seen on the display together with sound alarm when device detects material (according to chosen mode). Additional feature: inside temperature monitoring.





## DMM-20D. Detector

Detects hidden electric wire, metal and wooden elements in the walls and partitions. It will help you easily fix with screw the wooden frame and find hollows in the wall.






Electric wire,  
metal and wood detection



|                    | <br><b>DLL-10T-K</b> | <br><b>DLL-15T-K</b> | <br><b>DLL-10MT-K</b> |
|--------------------|--|---|--|
| Working distance   | ≤ 10 m   | ≤ 15 m  | ≤ 10 m   |
| Self leveling time | < 15 s   | < 15 s  | -  |
| Leveling scope     | ± 3 °  | ± 4 °   | -  |
| Laser wave length  | 650 nm   | 635 nm  | 635 nm   |
| Accuracy           | ± 0,5 mm / 1m  | ± 0,5 mm / 1m   | ± 0,3 mm / 1m  |
| Power supply       | 2x1,5V (AAA) batteries   | 2x1,5V (AA) batteries   | 2x1,5V (AAA) batteries   |
| Weight             | 2,5 kg   | 3,15 kg   | 0,25 kg  |
| Features           | 360 degree scale, Cross leveling function  | 360 degree scale, Cross leveling function   | Level backlight  |
| Set                | Tripod, safety goggles, case   | Tripod, safety goggles, case  | Tripod, case   |

|               | <br><b>DLL-0,8-M</b> | <br><b>DLL-0,8-L</b> | <br><b>DLL-9</b> |
|---------------|--|---|---|
| Length        | 80 cm  | 80 cm   | Working range– 9 m  |
| Accuracy      | 0,029° ± 0,5mm/m   | 0.5°  | 0.5°  |
| Backlight     | -  | +   | -   |
| Detector      | +  | -   | -   |
| Power supply  | 9 V; (6LR61, 6F22), 4,5 V;<br>(3 x 1,5 V LR 44)  | 4,5 V; (3 x 1,5 V AAA)  | 4,5 V (3x1,5V LR44)   |
| Laser guide   | +  | -   | +   |
| Weight        | 0,8 kg   | 0,85 kg   | 0,045 kg  |
| Features, set | Build-In detector (wire, metal and wood), Laser guide, steel pins for fixing                           | Automatic level indicator, backlight  | Compact size, laser guide, steel pins and magnet for fixing   |

|                      | <br>DMM-20 | <br>DMM-20D | <br>DMM-20D-RF |
|----------------------|--|--|---|
| Working distance     | -  | -  | 0-16 m  |
| Scan depth for wires | 20 mm  | 20 mm  | 50 mm   |
| Scan depth for metal | -  | 38 mm  | 40 mm   |
| Scan depth for wood  | 20 mm  | 20 mm  | 19 mm   |
| Power supply         | 9 V; (6LR61, 6F22), 4,5 V;<br>(3 x 1,5 V LR 44)  | 4,5 V; (3 x 1,5 V AAA)   | 4,5 V (3x1,5V LR44)   |
| Laser guide          | -  | -  | +   |
| Weight               | 0,18 kg  | 0,31 kg  | 0,4 kg  |
| Features             | LED indicator, 2 modes   | LCD display, self calibration, auto off, 4 modes   | Display with backlight, 4 modes, Laser meter, built-in laser guide                                |